

1/16





FIG. 1A



**FIG. 1B**

3/16





FIG. 2A

4/16

FIG. 2B



5/16





FIG. 3A

FIG. 3B



7/16




FIG. 4

8/16




FIG. 5

FIG. 5



9/16

VLAN TABLE		
ASSOCIATED LOGICAL INTERFACES		
<u>VLAN ID</u>	<u>WAN</u>	<u>LAN</u>
10	A, C	D
20	B	D

FIG. 6


VLAN TABLE		
ASSOCIATED LOGICAL INTERFACES		
<u>VLAN ID</u>	<u>WAN</u>	<u>LAN</u>
30	E, F	G
40	E, F	G

FIG. 7


FLOW INDICATION  
 IP SUBNET A  
 IP SUBNET B

QOS

10/16



**FIG. 8**



**FIG. 9**

11/16




FIG. 10

12/16

VLAN Forwarding Table Sample Output  
Tiara/configure/vlanfwd>display vlanfwd table

Vlan Ether Type - 33024(0x8100)

Vlan Forwarding Table -

<u>Interface Name</u>	<u>Vlan Id</u>
ethernet0	100-120, 500, 4095
ethernet1	1-500, 600, 1000

VLAN Forwarding Statistics Sample Output  
Tiara/configure/vlanfwd>display vlanfwd statistics

Vlan Forwarding Statistics -

Vlan Forwarding - ENABLED  
Vlan Ether Type - 33024(0x8100)

Vlan Id: (4091)

Outgoing Vlan Packets: 500  
Incoming Vlan Packets: 500  
Dropped Vlan Packets: 0

Vlan Id: (4092)

Outgoing Vlan Packets: 2000  
Incoming Vlan Packets: 2000  
Dropped Vlan Packets: 0

Vlan Id: (4093)

Outgoing Vlan Packets: 10  
Incoming Vlan Packets: 10  
Dropped Vlan Packets: 0

**FIG. 11**

13/16




FIG. 12

14/16

FIG. 13




FIG. 14







FIG. 13

15/16



16/16




FIG. 17